
JOINT TRAINING PROTO-FEDERATION (JTFp)



JTFp Status Briefing for AMG-11 on

HLA TECHNICAL EVALUATION PROCESS
25 April 1996

OUTLINE



- I. INTRODUCTION
 - II. CONCEPTS & TOOLS
 - III. ISSUES
 - IV. TESTING
 - V. EVALUATION RELATIONSHIPS
 - VI. NET ASSESSMENT
 - VII. CONCLUSION

BRIEFING OBJECTIVE

Describe JTFp's approach to the evaluation of HLA:

- Relate ISSUES / TEST / EVALUATION
- Outline HLA evaluation PROCESS
- Indicate HLA evaluation STATUS

OUTLINE

- I. INTRODUCTION
- II. CONCEPTS & TOOLS
 - III. ISSUES
 - IV. TESTING
 - V. EVALUATION RELATIONSHIPS
 - VI. NET ASSESSMENT
 - VII. CONCLUSION

DEFINITIONS OF TERMS

ISSUES: A potential problem in HLA specification or implementation

which has: 1) an HLA architecture cause, and its effects

have HLA-wide importance; 2) federate importance; 3)

conceivable solution; and 4) concrete, long-run risk.

TESTS: Operations upon an entity, according to a pre-established

procedure, yielding observed data suitable for evaluation, usually in context of pre-existing

requirements or criteria.

ANALYSIS: Resolution or breaking up of anything complex into

something simple for the purpose of understanding.


EVALUATION: Test + Analysis


LESSONS Determinations, findings, or conclusions based on the result

LEARNED: of test or analysis (or both), on a given subject (e.g.

frequently an issue).

RELATIONSHIPS AMONG EVALUATION TERMS






DATABASE RELATIONSHIPS


ISSUES DATABASE

LESSONS-LEARNED DATABASE



EVALUATIONS DATABASE (TEST + ANALYSIS)

EVALUATION PROCESS MODEL



OUTLINE

- I. INTRODUCTION
- **II. CONCEPTS & TOOLS**
- III. ISSUES
 - IV. TESTING
 - V. EVALUATION RELATIONSHIPS
 - VI. NET ASSESSMENT
 - VII. CONCLUSION

ISSUES ANALYSIS STRATEGY

DEFINITION: Deliberately identify and classify candidate issues.

AUDIT: Preserve audit trail of issues, design impacts,

evaluation, and lessons-learned.

DESIGN: Design protofederation system and evaluations to

address and resolve Type I issues.

OBSERVATION: Collect available information that may support the

resolution of Type II issues.


INFERENCE: Capture issues' resolutions in lessons-learned

format.

NOTE: This strategy does not guarantee issue resolution as a final result; however, it promises deliberate investment of resources and recoupment of desired data products.

WHAT IS AN ISSUE?

...a potential problem in HLA specification or implementation which has the following characteristics:



Type II - (A .xor. B) .and. C .and. D .and. ~E ...else not an Issue

ISSUE SPECIFICATION EXAMPLE

Issue Name: Does the HLA / RTI have the ability to effectively and efficiently filter published attributes and interactions?

Category: Type I

Description: Message or event proliferation in high interaction rate federation is a major area of risk for the HLA...


Consequences: Incorrect filtering affects correct results; insufficient filtering inhibits computational throughput.

Candidate Solutions/Actions: Explore / examine full range of filter types needed....

JTFp Actions: Derive lessons learned including assessment of message traffic loading with / without filtering...

Value: This is of fundamental value to assessing the future viability / utility of the HLA RTI for high interaction rate federations.

TOP LEVEL JTFp ISSUES TAXONOMY



OUTLINE

- I. INTRODUCTION
- **II. CONCEPTS & TOOLS**
- III. ISSUES
- IV. TESTING
 - V. EVALUATION RELATIONSHIPS
 - VI. NET ASSESSMENT
 - VII. CONCLUSION

JTFp TESTING OBJECTIVES

JTFp DEVELOPMENT:

Support the development and integration of the JTFp

HLA EVALUATION:

Conduct characterization and evaluation exercises with the JTFp to evaluate facets of HLA architecture specification and implementation in areas identified by:

- JTFp ISSUES, and
- TWG requirements

TYPES OF TESTING

- FEDERATE PLATFORM INTEGRATION
- HLA COMPLIANCE
- JTFp INTEGRATION
- JTFp FUNCTIONAL PERFORMANCE
- JTFp COMPLEMENTARY ISSUE RESOLUTION

FEDERATE PLATFORM INTEGRATION TESTING

SCOPE: Addresses the ability of a federate to be hosted and

executed on the target platform in stand-alone

mode.

PURPOSE: Verify that a federate can be integrated on the target

platform.

Verify that a federate successfully performs

simulation-peculiar initialization and does not

'randomly return to the operating system'.

UUT: All federates, every revision.

CRITERIA: Federation initialization and control rules.

APPROACH: Manual installation and execution.

HLA COMPLIANCE TESTING

SCOPE: Address the ability of a federate to interact with

the RTI using HLA services.

PURPOSE: Verify that simulations can exchange data via

RTI per FOM specifications.

UUT: Ostensibly - All federates, every revision

(emphasis on final revision, for fed's benefit).


Actually - a) HLA architecture, infrastructure, and

b) compliance testing process / criteria.

CRITERIA: HLA Rules, I/F Spec., Compliance Checklist.

APPROACH: Single federate with RTI and test federate.

COMPLIANCE CHECKLIST RELATIONS TO HLA SPECS.



ASSUMPTION: I/F Spec + HLA rules + OMT + [?] are a complete and consistent specification of the HLA **◄····►**

NEED: Guide for independent evaluation of "HLA-ness"

HLA COMPLIANCE CHECKLIST CROSSWALK

	A	В	С	D
1	Compliance CheckList Items	HLA Rules	IF Spec	OMT
2	FEDERATE Checklist Items			
3	Compliance Item 1	Rule 6	N/A	Section 3.3
4	Compliance Item 2	Rule 7	Full Support	Sections 3.3, 4.5, 5.5.1
5	Compliance Item 3	Rule 8	(1) Incomplete	Section 5.5.1
6	Compliance Item 4	Rule 9	N/A	N/A
7	Compliance Item 5	Rule 10	Full Support	N/A
8	Compliance Item 6	Rule 4	Full Support	N/A
9	FEDERATION Checklist Items			
10	Compliance Item 1	Rule 1	N/A	Sections 3.2, 4.0
11	Compliance Item 2	Rule 2	N/A	N/A
12	Compliance Item 3	Rule 3	N/A	Section 5.4.1
13	Compliance Item 4	Rule 4	Full Support	Section 6.2
14	Compliance Item 5	Rule 5	Full Support	Section 5.5
15	RTI Checklist Items			
16	Compliance Item 1	Rule 4	Full Support	N/A
17	Compliance Item 2	(2) NO Match?	Full Support	N/A
18	Compliance Item 3	Rule 2	N/A	N/A
19	Compliance Item 4	Rule 5	Full Support	N/A
20	A) The coule and the cheerlifet and to include the following two as			

^{21 (1)} The rule and the checklist need to include the following two requirements:

^{1.1} The federate must deal with the situation in which a reflected object is deleted.

^{1.2} The federate must be able to cancel reflection (unreflect) on any object it is capable of reflecting.

⁽²⁾ There is no rule which seems to correspond directly to this checklist item. Could this be the same as rule 4?

Also, where is the definition of the RTI's functional specification? How is it different from the Interface Specification?

HLA COMPLIANCE CHECKLIST OBSERVATIONS

COMPLIANCE EVALUATION EMPHASIS:

Judge compliance-evaluation process and tools vs.
 demonstration of compliance of JTFp or its federates

CHECKLIST CHARACTERISTICS:

- Rule-centric vs. I/F Specification-centric...OK
- Not operationally concrete
- Plausible start, good use of reference to specification

RECOMMENDATIONS:

- Extend checklist detail and evolve to an executable process
- Refine and preserve explicit mapping of Compliance Checklist to HLA system specification

JTFp INTEGRATION TESTING

SCOPE: Address the ability of new and legacy simulations to

be integrated into a federation, exchange data according to FOM specifications, and meet the

needs of the use in an HLA environment

PURPOSE: Interactivity testing verifies that objects can interact

per FOM interaction table, and

Functional testing verifies end-to-end functionality of

integrated simulations in a federation.

UUT: JTFp subsystems / system, HLA

CRITERIA: FOM

APPROACH: Progressive Integration

PROGRESSIVE INTEGRATION SCHEDULE

RTI (INDIGO2) R I I I I I R I I I I I I I I I I I I				\neg			T		П		$\overline{}$												\neg	Т		_	П	Т	\top			$\overline{}$	Т				\neg	\top	$\overline{}$		\neg	\top	_	\top
RTI (INDIGO2) R I I I I I R I I I I I I I I I I I I																																												
RTI (INDIGO2) R I I I I I R I I I I I I I I I I I I		ON						ON																																				
RTI (INDIGO2) R I I I I I R I I I I I I I I I I I I		SZ-1						RS																																				
RTI (INDY) R I I I I R I I I I R I I I I R I I I I I R I																																						\perp						\perp
RTI (HP) NASM/AP (SUN) RAGLE (HP) NASS (HP) NASS (HP) DERM (SUN) JTH Q (INDY) JTH G (INDIGO2) SCENARTO MONITOR (INDIGO2) POST FEDERATE (INDIGO2) TEST FEDERATE (I	RTI (INDIGO2)	R I		I	I I	I		R	I		I	I	I	I		I		_	_					:	ΙI	I		I I	I										_	_	_	_	_	I
RTI (HP) NASM/AP (SUN) RAGLE (HP) NASS (HP) NASS (HP) DERM (SUN) JTH Q (INDY) JTH G (INDIGO2) SCENARTO MONITOR (INDIGO2) POST FEDERATE (INDIGO2) TEST FEDERATE (I			I			I		R		I	I		I			ш		II	_						_	_			I	I	I						\perp	\perp						I
NASM/AP (SUN) EAGLE (HP) NSS (HP) DEEM (SUN) JTF HQ (INDY) SCENARIO MONITOR (SUN) FED. CONTROLLER (INDIGO2) FOST PROCESSOR (INDIGO2) FOST PROCESSOR (INDIGO2) TEST FEDERATE (INDY) TEST FEDERATE (INDIGO2) TEST FEDERATE (INDI		R		I	I	I_		R		1		I	I			ш			I					I :	ΙI	I					I	I	I	II	I	21		I 1	. I	I	I 2	21 2	I	21
EAGLE (HP) NSS (HP) DEEM (SUN) JTF HQ (INDY) UTILITIES (ALL) FED. CONTROLLER (INDIGO2) SCENARIO MONITOR (SUN) FED. MONITOR (INDIGO2) SCENARIO MONITOR (INDIGO2) TEST FEDERATE (INDY) R I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I I I R R I I I I I R R I I I I I R R I I I I I I R R I	RTI (HP)													R I		ш]	:	I																						
EAGLE (HP) NSS (HP) DEEM (SUN) JTF HQ (INDY) UTILITIES (ALL) FED. CONTROLLER (INDIGO2) SCENARIO MONITOR (SUN) FED. MONITOR (INDIGO2) SCENARIO MONITOR (INDIGO2) TEST FEDERATE (INDY) R I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I R R I I I I I I I R R I I I I I R R I I I I I R R I I I I I I R R I																																												
NSS (HP) DEM (SUN) JIP (Q (INDY) UTILITIES (ALL) FED. CONTROLLER (INDIGO2) PSCENARIO MONITOR (SUN) FED. MONITOR (INDIGO2) PSCENARIO MONITOR (INDIGO2) PSCENARIO MONITOR (INDIGO2) TEST FEDERATE (INDIGO2) TEST FEDERATE (INDIGO2) TEST FEDERATE (INDIGO2) R I IZ II R I I I I I R I I I I I R I I I I																							R	I :	II	I					I					I						1 1	c 🗀	I
DEEM (SUN) TITLITIES (ALL) FED. CONTROLLER (INDIGO2) SCENARIO MONITOR (SUN) POST PROCESSOR (INDIGO2) TEST FEDERATE (INDY) TEST FEDERATE (SUN) TEST	EAGLE (HP)																			R I	: [_																							
TEST FEDERATE (INDY) TEST FEDERATE (SUN) TEST FEDERATE (SUN) TEST FEDERATE (HDY) TEST	NSS (HP)																				R	I																						工
## Controller (Indigo2) Feb. controller (Indigo2) Feb. monition (Indigo2) Feb. monitorial (Indigo2) Fe	DEEM (SUN)															ш															I	R I	I	I I	I	I	\perp	I	I	I	I	<u> </u>	[I
FED. CONTROLLER (INDIGO2) SCENARIO MONITOR (SUN) FED. MONITOR (INDIGO2) POST PROCESSOR (INDIGO2) TEST FEDERATE (INDIGO2) TEST FEDERATE (INDY) TEST FEDERATE (SUN) TEST FEDERATE (HP) R I I I I R R I I I I I R R I R I I I I R R I I I I R R I I I I R R I I I I R R I I I I R R I R I I I I R R I I I I R R I R I I I I R R I I I I R R I R I I I I R R I R I I I I R R I R I I I I R R I R I I I I R R I R I I I I R R I R I I I I R R I R I I I I R R I R	JTF HQ (INDY)					_										ш	R_	ΙI	I							I				I	I			I	I	I	\perp	\perp			I	<u> </u>		
SCENARIO MONITOR (SUN) FED. MONITOR (INDIGO2) FED. MONITOR (INDIG	UTILITIES (ALL)					_										ш																					\perp	\perp					R	I
FED. MONITOR (INDIGO2) POST PROCESSOR (INDIGO2) TEST FEDERATE (INDY) R I I I I I I R I I I I I I I R I	FED. CONTROLLER (INDIGO2)							_							R	I		I	I						ΙI	I		1	<u> I</u>	I	I		I	I I	I	I			I	I	I	I I	[I
POST PROCESSOR (INDIGO2) TEST FEDERATE (INDY) R I I I I I I R R I I I I I I R R R I I I I I I R R R I I I I I I R R R I I I I I I R R R I I I I I I R R R I I I I I I R R R R I I I I I I R	SCENARIO MONITOR (SUN)							_								ш]	R J	I 1	I	I	I	I I	[I
TEST FEDERATE (INDIGO2) R I I I I I I I I I I I I I I I I I I	FED. MONITOR (INDIGO2)															ш											R	I I	<u> I</u>	I	I				I	I						1	[I
TEST FEDERATE (INDY) R I I I I R I I I I I I I I I I I I I	POST PROCESSOR (INDIGO2)															ш																												
TEST FEDERATE (INDY) R I I I I R I I I I I I I I I I I I I																ш																												
TEST FEDERATE (SUN) R I I I I I R W W I I I I I I I W W W W	TEST FEDERATE (INDIGO2)	R I		I	2 I	I_		R	I		I	I	I	I		ш																												
(HH) (AH) (AH) (AH) (AH) (AH) (AH) (AH)	TEST FEDERATE (INDY) 1	R	I			I		R		I	I		I			ш									I				I					I						I				
11 MAR 11 MAR 11 MAR 11 MAR 11 MAR 11 MAR 12 MAR 13 MAR 13 MAR 14 MAR 15 MAR 15 MAR 15 MAR 16 MAX 17 MAX 17 MAX 17 MAX 17 MAX 17 MAX 18 MAX 18 MAX 18 MAX 18 MAX 19 MAX 19 MAX 10 MAX 10 MAX 10 MAX 11 MAX 12 MAX 13 MAX 13 MAX 13 MAX 13 MAX 13 MAX 14 MAX 15 MAX 15 MAX 17 MAX 17 MAX 18 MAX 19 MAX 10 MAX 1	TEST FEDERATE (SUN)	R		I	I	I		R		3		I	I						I																									
R = Received R = R	TEST FEDERATE (HP)													RI																														
R = Received R = R									p4	p4 p	P4	p4	P4 F	4 64	p4	p4		4 124	LK.	p4 p	p4	_{E4}	pg	pg .					>-	×	>		×	ы Ы	×	× :	ы >	я ы	>-	×	ы .	ы Ы		×
R = Received								MAR	MA	AM AM	MA	MA				AP.									MAY	WAY.	MAY	MAY			& X					MA :							MAY	MA
								8	11	1 1	13	14	15	26	29	13	4 6	22	22	19	29	29	29	30	2 6	9		8 6	101	13	14	2 50	21	23	24	27	7 5	21	22	23	24	27 28	1 2	30
																																												\Box
																											R	= R	ecei	ved														
completed I = Integrated																				=	com	ple	ted				I	= I:	nte	rate	ed			\perp										
2I = Integrated on 2 Platforms																											21	= I:	nte	grate	ed c	n 2	Pla	for	ms				T					T

PROGRESSIVE INTEGRATION SCHEDULE

		1 1		$\overline{}$	_	1					$\overline{}$	\top			Т	Т		Т	\top	Т					Т	П				Т		Т	Т						Т	Т		$\overline{}$	$\overline{}$	1	Т	Т					_	$\overline{}$	\top	_	$\overline{}$		\Box	_
NO. LO GALL	VERSION 0.3																																																									VERSION
RTI (INDIGO2) F	R I				ΙI	I	I	I		I		I	I			I :	I :			I	I	I	I	1	· I	I	I	I	I		I	I	I	I	I	I				I	I	I	1	[I	I			I	I	I :	Ι :	I I	I 1	I		I		R
RTI (INDY) F	R	I			I		I	I			7	I I	I			- 1:	I :	c			I	I	I			I	I	I	I		Т	I	I	I	I	I			П		I	I		I I	I				I	I :	I :	I I	ΙI	I		I	П	R R
RTI (SUN) F	R		I		I		I	I					I					Т							Т						I I	I	I	I	I	I		I	I	I	I	I	1	I I	I		I	I	I	I :	Ι :	I 2:	121	21		21		R
RTI (HP)	R			I		I		I							I	I :	r :	c 🗆	I	Ι.	I	I :	21		Т			I :	21		Т			I	21	21			П				1	[2]	21	:					1 2	2121	121	21		21	П	R
																		T																																		\top	T				П	_
NASM/AP (SUN)																									Т						Т														Т	R	I	I	I	Ι:	Ι :	I I	ıΤ	I		I	П	_
EAGLE (HP)														R	I	I :	r :						I					I	I					I	I	I								I I	I						Ι:	1 7	ΙI	I		I	П	_
NSS (HP)																		F	: I	I	I	I	I						I						I	I								I	I							I I	ΙI	I		I	П	_
DEEM (SUN)		\Box																											1	R :	1 1	I	I	I	I	I			I	I	I	I	1	I I	I							7	ΙI	I		I	П	_
JTF HQ (INDY)	Ť	Τİ	Ť	Ť	Ť	Ť	İ	ÌΤİ	Ť	T):	R I	I	I	T	Ť	Ť	T:	εİ	Ť	Ť	İΠ	I	I	Ť	Ť	ĦΪ	I	I	I	Ť	Ť	Ť	I	I	I	I		Ť	Ť	Ť	Ť	Ιİ	1	ΙİΙ	Ī	İ	İ	Πİ	T	II:	I :	<u> </u>	ΙİΙ	I	İ	I	Пİ	_
UTILITIES (ALL)	Ť	ΤÌ	T	Ť	Ť	Ť	İ	İΠ	T	十	Ť	Ť	Ť	T	Ť	Ť	Ť	Ť	Ť	Ť	ÌП	T	寸	Ť	Ť	İΠ	T	T	Ť	Ť	十	Ť	İ		İ			寸	Ť	Ť	Ť	Ť	Ť	Ť	Ť	İ	İ	Πİ	T	Ť	Ť	十	Ť	Ť	R	I	Πİ	_
FED. CONTROLLER (INDIGO2)	Ì	ÌΪ	Ť	Ť	Ť	Ť	İ	Ì	R	I	Ť	I	I	Ì		I :	r :	<u> </u>	Ť	I	I	I	I	Ť	I	I	I	I	I	Ť	T	I	I	I	I	I		T	Ť	I	I	I		I I	I	Ì		I	I	I :	Ι :	1 7	ΙI	I	İ	I	ПÌ	_
SCENARIO MONITOR (SUN)	Ť	ÌΪ	Ť	Ť	Ť	Ť	İ	ÌÌ	Ť	Ť	Ť	Ť	Ĺ	Ì	Ť	Ť	Ť	Ť	Ť	Ť	ĺ	Ť	Ť	Ť	Ť	ÌΪ	Ť	Ť	Ť	Ť	Ť	Ť	Ì		ÌП		R	I	I	I	I	I	1	I I	I	Ť	Ì		Ť	Ť	Ť	\top	Ť	I	Ì	I	ПÌ	_
FED. MONITOR (INDIGO2)												Ť	İ			T		T	Ť				1	R]	I	I	I	I	I		T					I									I						Ť	\top	I	I		I	П	_
POST PROCESSOR (INDIGO2)																																																				\top	\top				П	Τ
	\top	\Box															Т	Т	Т				П		Т						Т								П						Т	Т						\top	Т				П	_
TEST FEDERATE (INDIGO2) F	R I				I I	I	I	I				Ť	İ			T		T	Ť						T						T														T						Ť	\top	T				П	R
TEST FEDERATE (INDY) F	R	I			I		I	I								- [:	Ι				I					I						I									I								I			\top	\top				П	R
TEST FEDERATE (SUN) F	R	\Box	I	\neg	I	:	I	I			\neg	\top	I			\neg	П	\neg	\top				\neg		T	П					\neg									\neg					T							\top	Т				П	R
TEST FEDERATE (HP) F	R	\top		ı		I		I			П							П	Т	T					Т						П									П					Т							\top	\top	Т			П	R
	·								ы	54 5	, ,	. 54	54	ы	54 5	ч ,	4 5	, ,	. 54	54	ы	ы	Π,	я 54	54	ы	ы	54	ы 5	. 5	. 2	- z	2	2	2	2	2	2	2	× !	2	2	-	. 2	2	2	2	2	2	2 2		\top	\Box		54	د ا	П	_
Į į	APR (AY	ΦY	MAY	MAY MAY	MAY	MAY	ſΑΥ	ſΑΥ		MAY MAY	§ §	Ā	MAY	MAY	Æ å	E E	MA MA	1 8	MA	MAN	MAY	MA		ā ā	MAN	Æ	Æ	MA	MAY	3 E	3 B	5	E	Ē	B	15	18	ğ	5	N I	5		Į.	B	5	B	5	B	Ĕ	B B	5	百百	į <u>E</u>	털	MAY	B	ı l	
	ς Γ	1	2	2 2	9	1	7	6	10	13	1 5	17	20	21	23	4 6	0 0	3 5	22	24	28	31	7 5	22 22	23	24	27	28	29	9 2	3 8	21	24	25	26	27	18	13	20	21	24	25	26	27	28	1.8	13	20	21	24	à ,	7 6	, L	.5	21	12	ıl	15
																																																				\top	T				П	
																		T							\top						R	=	Re	cei	ved	i									\top							\top	Т				П	
																		Т						=	com	ple	ed	T			I	=	In	teg	rat	ed		\neg							Т							\top	Т				П	
																									T						2						on	2 1	Pla	tfo	rms	3										\top	1				П	_

JTFp FUNCTIONAL PERFORMANCE TESTING

SCOPE: Investigate issues related to real-time infrastructures; time management; multi-platform integration; distributed objects; resource utilization; and message interaction strategies.

PURPOSE: Resource Utilization test: record and investigate memory, cpu, and network usage;

Latency test: record and investigate time differences for all object message traffic;

Scenario test: verify federation's ability to perform pre-planned interactions and missions according to a scenario and support associated 'free-play'; and

JTFp FUNCTIONAL PERFORMANCE TESTING

PURPOSE: Performance Optimization test: record system

cont.

performance during loading and establish

federation performance boundaries

UUT: JTFp system, HLA

CRITERIA: HLA / Federate needs, measures form TWG /

DMSO

APPROACH: Fully-populated, distributed, integrated-system

trials with excursions

COMPLEMENTARY ISSUE RESOLUTION TESTING

SCOPE: Address JTFp ISSUES unresolved by other

testing and analysis.

PURPOSE: Provide evidence directly relevant to issues for

which other tests have provided no significant

results.

UUT: JTFp subsystems / system, HLA

CRITERIA: ...TBD from ISSUES on case-by-case basis

APPROACH: Tailored evaluation procedures (see evaluation

exercises in JTFp technical relational database)

TESTING DOCUMENTATION

PLAN:

Single comprehensive Test Plan

DESCRIPTION:

Standard test descriptions

PROCEDURE:

Standard test procedures


REPORT:

- Standard test reports
- Lessons-learned results
- Integrated Final Report

TESTING STATUS

TEST TYPE	CONCEPT	DESCR.	PROC.	EXE.	RPT.
FEDERATE PLATFORM		lacksquare	lacktriangle	lacksquare	0
HLA COMPLIANCE			\circ	\bigcirc	\bigcirc
JTFp INTEGRATION		lacksquare	lacksquare	\odot	\bigcirc
JTFp PERFORMANCE	•		\circ	\bigcirc	\bigcirc
COMPL. ISSUES		lacksquare		\bigcirc	\bigcirc

Notional indication of expected progress by test-type



OUTLINE

- I. INTRODUCTION
- II. CONCEPTS & TOOLS
- III. ISSUES
- IV. TESTING
- V. EVALUATION RELATIONSHIPS
 - VI. NET ASSESSMENT
 - VII. CONCLUSION

OUTLINE

- INTRODUCTION
- II. CONCEPTS & TOOLS
- III. ISSUES
- IV. TESTING
- V. EVALUATION RELATIONSHIPS



- VI. NET ASSESSMENT
 - VII. CONCLUSION

LESSONS-LEARNED RESULTS STATUS

FEDERATION SYSTEMS ENGINEERING:

- FOM / HLA Development process...is time consuming and difficult, but not busted. Automation should help.
- Significance of scenario 'views' conspicuous
- 'Appetite' for semantic information on interactions and attributes in federation specification
- Distributed developer / integrator roles for federation lifecycle support work OK

HLA DESIGN:

- C.M. / 'versioning' / hardware-software dependencies are more significant than anticipated (and will continue to be...)
- RTI documentation is crucial

PROJECTED EVALUATION RESULTS AVAILABILITY

ISSUES	JUNE	JULY	AUGUST +
HLA INTERFACE	\odot	•	t
RTI TECHNICAL FEASIBILITY	lacksquare		•
ENVIRONMENTAL		•	
OMT DEVELOPMENT	lacktriangle	•	
TIME MANAGEMENT	\bigcirc	lacksquare	
SIMULATION	lacksquare		•
ENGINEERING DESIGN		•	
OBJECT OWNERSHIP			

ANTICIPATED JTFp RESIDUAL ISSUES

...issues which may not be completely resolved in JTFp...

HLA INTERFACE: C4ISR I/F and surrogates

RTI TECH. FEAS.: RTI-driven cost / benefit, RTI data filter

capability / constraints

ENVIRONMENTAL: NA

OMT DEVEL.: NA

TIME MGMT.: Testing of a wide variety of time-

management services and conditions

SIMULATION: Fair-fight, scalability, plug-and-play with

virtual/HWIL/MIL, causality, etc...

FED. ENG. DESIGN: NA

OUTLINE

- I. INTRODUCTION
- **II. CONCEPTS & TOOLS**
- III. ISSUES
- IV. TESTING
- V. EVALUATION RELATIONSHIPS
- VI. NET ASSESSMENT



CONCLUSION

- JTFp has an algorithmic process for proceeding through Proto-federation test and analytical evaluation
- JTFp will execute as described
- JTFp will deliver technical products as indicated